Working on ciclad

Table of Content

1
2
2
2
2
2
2
2
2
3
3
3

ciclad is an IPSL computing server located on the Jussieu campus in Paris, France.

Documentation

■http://ciclad-web.ipsl.jussieu.fr

■http://ciclad-web.ipsl.jussieu.fr/ciclad-utilisation.pdf

hotline: svp-ciclad@...

The machines and file systems

The front-end machine can be accessed via the ciclad.jussieu.ipsl.fr IP.

Data files must be placed in /data/ or in the filesystem dedicated to your project.

Shared account

 $\textit{cf. } \underline{\textit{Repository for shared files and shared tools}} \ / \texttt{ipslfs/igcmg/IGCM belonging to the account igcmg (\$\{\texttt{HOME}\}$=/home/igcmg)} \\$

```
$ id -a igcmg
uid=31575(igcmg) gid=31575(igcmg) groups=31575(igcmg)
```

Individual account

You must belong to the igcmg users' group.

cf. to check the result of the command

id -a

How to define your environment

Add the following line in your login file (e.g. /home/igcmg/.bashrc):

```
. /home/igcmg/.atlas_env_ciclad_ksh
```

for the FORTRAN compiler, the NetCDF library, ferret,...

To find out the selected implementation in the MPI library

```
mpi-selector --query
```

If the answer is different from:

```
default:openmpi-1.4.2-gfortran-x86_64
level:system
```

or if you are not using the FORTRAN compiler gfortran you must change this environment with mpi-selector --set by choosing among the possibilities returned by the command mpi-selector --list.

Job manager commands

torque/maui tool

End-of-job messages

To receive the end-of-job messages returned by the job itself (e.g. end of simulation, error,...) you must specify your email address in the file \${HOME}/.forward.

How to choose the number of processes?

Example of job for a MPI executable

libIGCM specificities on ciclad