

The NEMO configurations

Table of Content

The NEMO configurations	1
NEMO configurations	2
1. Retrieving NEMO and the reference configurations	2
1.1. Setting up NEMO with the modipsl environment	3
1.1.1. Retrieval	3
1.1.2. Compiling and installing	3
2. Creating the job	4
3. Running the model	4
3.1. Input files: atmospheric forcings, initial states, namelists	4
3.2. The run	4
3.3. Performance	5

Person in charge: Christian Ethé

NEMO configurations

The forced NEMO is available in its reference version with different configurations, two of which are used and updated jointly with the IPSL tools:

- ORCA2_LIM : a coupled ocean-sea ice configuration based on the ORCA (2° resolution) tripolar grid;
- ORCA2_LIM_PISCES : the ORCA2_LIM configuration described below and coupled with the marine biogeochemistry model PISCES.

To find out more about the model description and the reference configurations, go here: <http://www.nemo-ocean.eu/About-NEMO>

1. Retrieving NEMO and the reference configurations

Two NEMO model versions are available with modipsl:

- the model version used to perform CMIP5: http://forge.ipsl.jussieu.fr/nemo/browser/branches/CMIP5_IPSL
- the latest version which can be compiled with FCM - starting from v3.3: http://forge.ipsl.jussieu.fr/nemo/browser/branches/2012/dev_v3_4_STABLE_2012

```
----- NEMO in forced mode : CMIP5_IPSL branches

##-- NEMO NEMO in forced mode : version until v3.2
##-- NEMO OPA
##-- NEMO LIM
##-- NEMO TOP
##-- NEMO IOIPSL/src - svn - tag v2_2_1
##-- NEMO NEMO sources and configurations - svn - branch CMIP5_IPSL
##-- NEMO XMLF90 svn trunk revision 193
##-- NEMO XMLIO_SERVER svn trunk revision 193
##-- NEMO libIGCM tag libIGCM_v2.0_rc2
##-- NEMO nemo_st@locean-ipsl.upmc.fr
##-- NEMO IOIPSL/tags/v2_2_1/src
##-- NEMO XMLF90
##-- NEMO XMLIO_SERVER/trunk
##-- NEMO branches/CMIP5_IPSL/EXTERNAL/XMLF90
##-- NEMO branches/CMIP5_IPSL/EXTERNAL/XMLIO_SERVER
##-- NEMO tags/libIGCM_v2.0_rc2
##-- NEMO branches/CMIP5_IPSL/AGRIF
##-- NEMO branches/CMIP5_IPSL/NEMO
##-- NEMO branches/CMIP5_IPSL/UTIL
##-- NEMO branches/CMIP5_IPSL/CONFIG/GYRE
##-- NEMO branches/CMIP5_IPSL/CONFIG/GYRE_LOBSTER
##-- NEMO branches/CMIP5_IPSL/CONFIG/ORCA2_LIM
##-- NEMO branches/CMIP5_IPSL/CONFIG/ORCA2_LIM_PISCES
##-- NEMO branches/CMIP5_IPSL/CONFIG/ORCA2_OFF_PISCES
##-- NEMO branches/CMIP5_IPSL/CONFIG/POMME
##-- NEMO branches/CMIP5_IPSL/CONFIG/ORCA2_LIM/EXP00
##-- NEMO branches/CMIP5_IPSL/CONFIG/ORCA2_LIM_PISCES/EXP00
##-- NEMO branches/CMIP5_IPSL/CONFIG/ORCA2_OFF_PISCES/EXP00

----- NEMOGCM in forced mode : reference version

##-- NEMOGCM NEMOGCM in forced mode version since v3.3 ; Compilation using FCM
##-- NEMOGCM libIGCM tag libIGCM_v2.0_rc2
##-- NEMOGCM Christian.Ethe@ipsl.jussieu.fr
##-- NEMOGCM tags/libIGCM_v2.0_rc2
##-- NEMOGCM branches/2012/dev_v3_4_STABLE_2012/NEMOGCM
```

```
#--C- NEMOGCM branches/2012/dev_v3_4_STABLE_2012/NEMOGCM/CONFIG/ORCA2_LIM/IGCM00 HEAD 7 ORCA2_LIM/IGCM00
#--C- NEMOGCM branches/2012/dev_v3_4_STABLE_2012/NEMOGCM/CONFIG/ORCA2_LIM_PISCES/IGCM00 HEAD 7 ORCA2_LIM_PISCES/IGCM00
#--C- NEMOGCM branches/2012/dev_v3_4_STABLE_2012/NEMOGCM/CONFIG/ORCA2_OFF_PISCES/IGCM00 HEAD 7 ORCA2_OFF_PISCES/IGCM00
#--C- NEMOGCM branches/2012/dev_v3_4_STABLE_2012/NEMOGCM/CONFIG/ORCA2_LIM/EXP00 HEAD 7 PARAM
#--C- NEMOGCM branches/2012/dev_v3_4_STABLE_2012/NEMOGCM/CONFIG/ORCA2_LIM_PISCES/EXP00 HEAD 7 PARAM
#--C- NEMOGCM branches/2012/dev_v3_4_STABLE_2012/NEMOGCM/CONFIG/ORCA2_OFF_PISCES/EXP00 HEAD 7 PARAM
```

1.1. Setting up NEMO with the modipsl environment

1.1.1. Retrieval

```
mkdir NEMO_STD
cd NEMO_STD
svn co http://forge.ipsl.jussieu.fr/igcmg/svn/modipsl/trunk modipsl
cd modipsl/util
```

then

```
./model NEMO
```

or instead

```
./model NEMOGCM
```

1.1.2. Compiling and installing

Compiling NEMO : 32 CPUs

```
vi ../modeles/NEMO/OPA_SRC/par_oce.F90
```

to position

```
jpni = 4
jpnj = 8

cd ../modipsl/modeles/UTIL
./fait_config ORCA2_LIM # ou ORCA2_LIM_PISCES
cd ../../config/ORCA2_LIM # ou ORCA2_LIM_PISCES ]
../../util/ins_make
gmake clean
gmake
```

Compiling NEMOGCM : config ORCA2_LIM [ORCA2_LIM_PISCES] on CURIE

```
cd modipsl/modeles/NEMOGCM/CONFIG
./makenemo -h all # help to see the options and the available arch
```

Available compilers at CNRS :

- ALTIX_JADE : ifort compiler options for CINES SGI-ALTIX Jade, <http://www.cines.fr/spip.php?rubrique291>
- BG_BABEL : babel IBM BlueGene/P at french IDRIS, <http://www.idris.fr/su/Scalaire/babel>
- x3750_ADA : Ada IBM x3750 at french IDRIS, <http://www.idris.fr/ada/ada-hw-ada.html>
- TX7_ULAM : ulam IBM X3950 M2 at french IDRIS, <http://www.idris.fr/su/Scalaire/ulam/hw-ulam.html>
- X64_CURIE : Curie BULL at french TGCC, <http://www-hpc.cea.fr/en/complexe/tgcc-curie.htm>
- X64_TITANE : titane BULL at french CCRT, http://www-ccrt.cea.fr/fr/moyen_de_calcul/titane.htm
- X86_CESIUM : cesium pre/post processing HP at french CCRT, doesn't exist anymore.

```
./makenemo -n ORCA2_LIM[_PISCES]           -m X64_CURIE -j 8 add_key "key_mpp_mpi"
cp ORCA2_LIM[_PISCES]/BLD/bin/nemo.exe    ../../../../bin/.
```

2. Creating the job

```
vi config/ORCA2_LIM[_PISCES]/IGCM00/config.card
```

to position

```
=====
#-- PBS Class
JobClass=multi
=====
#-- Total Number of Processors
JobNumProcTot=32
=====
#-- Run Options :
JobRunOptions="-np ${BATCH_NUM_PROC_TOT}"
=====
```

then

```
cd config
../util/ins_job
```

3. Running the model

3.1. Input files: atmospheric forcings, initial states, namelists

The card files (opa9.card for orca2_lim and pisces.card for pisces) contain the list of files needed to perform the simulation.
These files are described here: <https://forge.ipsl.jussieu.fr/igcmg/wiki/DocModelAnemo>

3.2. The run

This example is a 5-year run of ORCA2_LIM [ORCA2_LIM_PISCES] splitted in 1-year jobs.

```
=====
#-- leap, noleap, 360d
CalendarType=noleap
#-- Begin and end of Job
#-- "YYYY-MM-DD"
DateBegin=2001-01-01
DateEnd=2005-12-31
=====
#-- 1Y, 1M, 5D, 1D
PeriodLength=1Y
=====
```

The output frequencies are different than those of the IPSLCM5A configuration.

```
=====
#D-- OCE -
[OCE]
WriteFrequency="1Y 1M 5D"
=====
#D-- ICE -
[ICE]
```

```
WriteFrequency="5D"
=====
#D-- MBG -
[MBG]
WriteFrequency="1Y 1M 5D"
```

```
ccc_msub Job_ORCA # ou Job_OR2LP
```

3.3. Performance

The ORCA2_LIM and ORCA2_LIM_PISCES configurations' performance can be found here:

<https://forge.ipsl.jussieu.fr/igcmg/wiki/PerformancesIPSLCM5A#NEMO2>