

---

# **NEMO validation tools Documentation**

***Release 1.0.1***

**C. Levy**

20120330



---

# Contents

---

<b>1</b>	<b>Shell scripts</b>	<b>1</b>
1.1	all_functions.sh . . . . .	1
1.2	fcm_job.sh . . . . .	2
1.3	prepare_exe_dir.sh . . . . .	3
1.4	prepare_job.sh . . . . .	3
1.5	sette.sh . . . . .	4
1.6	sette_beginner.sh . . . . .	6



# Shell scripts

---

## 1.1 all\_functions.sh

### 1.1.1 Set of functions used by sette.sh (NEMO tests)

#### SYNOPSIS

```
$ ./set_namelist INPUT_NAMELIST VARIABLE VALUE  
$ post_test_tidyup
```

#### DESCRIPTION

**function superegrep** input variable value

**function set\_namelist** input namelist\_name variable value output namelist

**function post\_test\_tidyup** creates nemo\_validation tree, and save output & debug files this function creates tree of validation in NEMO\_VALIDATION\_DIR as follows :

NEMO\_VALIDATION\_DIR/WCONFIG\_NAME/WCOMPILER\_NAME/REVISION\_NUMBER(or DATE)/TEST\_NAME

NEMO\_VALIDATION\_DIR : is choosen in param.cfg

WCONFIG\_NAME : set by makenemo at the moment of compilation

WCOMPILER\_NAME : set by makenemo at the moment of compilation

REVISION\_NUMBER(or DATE) : revision number by svn info, if problems with svn date is taken

TEST\_NAME : set in sette.sh for each configuration to be tested (directory TEST\_NAME is created under \${NEW\_CONF} directory )

#### EXAMPLES

```
$ ./set_namelist namelist nn_itend 75  
$ ./set_namelist namelist_ice_lim2 cn_icerst_in \"00101231_restart_ice\"  
$ post_test_tidyup
```

---

## **TODO**

option debug

## **EVOLUTIONS**

\$Id: all\_functions.sh 3294 2012-01-28 16:44:18Z rblod \$

- creation

## **1.2 fcm\_job.sh**

### **1.2.1 Simple job for NEMO tests**

#### **SYNOPSIS**

:: lauches the script \$JOB\_FILE interactive or batch, one task or MPI

\$ ./fcm\_job.sh NUMBER\_OF\_PROCS JOB\_FILE INTERACT MPI\_FLAG

#### **DESCRIPTION**

Simple job for SET TESTS for NEMO (SETTE)

#### **EXAMPLES**

\$ ./fcm\_job.sh NUMBER\_OF\_PROCS JOB\_FILE INTERACT MPI\_FLAG

run a

## **TODO**

option debug

## **EVOLUTIONS**

\$Id: fcm\_job.sh 3294 2012-01-28 16:44:18Z rblod \$

- creation

## 1.3 prepare\_exe\_dir.sh

### 1.3.1 Set of functions used by sette.sh (NEMO tests)

#### SYNOPSIS

```
$ ./prepare_exe_dir.sh
```

#### DESCRIPTION

prepare\_exe\_dir.sh creates execution directory takes name of TEST\_NAME defined in every test in sette.sh

it is necessary to define in sette.sh TEST\_NAME ( example : export TEST\_NAME="LONG") to create execution directory in where run test.

NOTE : each test has to run in its own directory ( of execution), if not existing files are re-written (for example namelist)

#### EXAMPLES

```
$ ./prepare_exe_dir.sh
```

#### TODO

option debug

#### EVOLUTIONS

\$Id: \$

- creation

## 1.4 prepare\_job.sh

### 1.4.1 create the job script for NEMO tests

Title overline too short.

---

```
-----  
create the job script for NEMO tests  
-----
```

#### SYNOPSIS

```
$ ./prepare_job.sh INPUT_FILE_CONFIG_NAME NUMBER_PROC TEST_NAME MPI_FLAG JOB_FILE
```

## **DESCRIPTION**

Part of the SETTE package to run tests for NEMO  
prepare the script \$JOB\_FILE to run the tests

## **EXAMPLES**

```
$ ./prepare_job.sh INPUT_FILE_CONFIG_NAME NUMBER_PROC TEST_NAME MPI_FLAG $JOB_FILE  
prepare the $JOB_FILE for execution
```

## **TODO**

option debug

## **EVOLUTIONS**

\$Id: prepare\_job.sh 3050 2011-11-07 14:11:34Z acc \$

- creation

## **1.5 sette.sh**

### **1.5.1 Set of tests for NEMO**

#### **SYNOPSIS**

```
$ ./sette.sh
```

#### **DESCRIPTION**

Variables to be checked by user:

COMPILER : name of compiler as defined in NEMOGCM/ARCH directory

BATCH\_COMMAND : name of the command for batch submission

MPI\_INTERACT :

for MPP tests, “no” for batch execution, “yes” for interactive execution

NOTE: for run with 1 process tests are run always in MPI\_INTERACT=“yes”

Principal script is sette.sh, that calls

makenemo

creates the executable in \${CONFIG\_NAME}/BLD/bin/nemo.exe (and its link opa in \${CONFIG\_NAME}/EXP00)

param.cfg : sets and loads following directories:

FORCING\_DIR : is the directory for forcing files (tarfile)

INPUT\_DIR : is the directory for input files storing

TMPDIR : is the temporary directory (if needed)

NEMO\_VALIDATION\_DIR : is the validation directory

(NOTE: this file is the same for all configurations to be tested with sette)

all\_functions.sh : loads functions used by sette (note: new functions can be added here)

set\_namelist : function declared in all\_functions that set namelist parameters for tests

post\_test\_tidyup : creates validation storage directory and copy needed output files (solver.stat and ocean.output) in it after execution of test.

Tree of VALIDATION is:

NEMO\_VALIDATION\_DIR/WCONFIG\_NAME/WCOMPILER\_NAME/TEST\_NAME/REVISION\_NUMBER(or DATE)

prepare\_exe\_dir.sh : defines and creates directory where the test is executed

execution directory takes name of TEST\_NAME defined in every test in sette.sh

( each test is executed in its own directory )

prepare\_job.sh

to generate the script run\_job.sh

fcm\_job.sh

runs job in interactive or batch mode : all jobs using 1 process are run interactive, and all MPP jobs are

run in batch (`MPI_INTERACT="no"`) or interactive (`MPI_INTERACT="yes"`) see sette.sh and BATCH\_TEMPLATE directory

(note this job needs to have an `input_CONFIG.cfg` in which can be found input tar file)

NOTE: if job is not launched for some problems you have executable ready in  `${EXE_DIR}` directory

NOTE: the changed namelists are leaved in  `${EXE_DIR}` directory whereas original namelist remains in  `${NEW_CONF}/EXP00`

in  `${SETTE_DIR}` is created `output.sette` with the echo of executed commands

if `sette.sh` is stopped in `output.sette` there is written the last command executed by `sette.sh`

if you run: `./sette.sh 2>&1 | tee out.sette`

in  `${SETTE_DIR}` `out.sette` is redirected standard error & standard output

## EXAMPLES

```
$ ./sette.sh
```

## TODO

option debug

## **EVOLUTIONS**

\$Id: sette.sh 3294 2012-01-28 16:44:18Z rblod \$

- creation

## **1.6 sette\_beginner.sh**

### **1.6.1 Set of tests for NEMO for beginners**

#### **SYNOPSIS**

```
$ ./sette_beginner.sh
```

#### **DESCRIPTION**

First simple example of how to use SETTE: create GYRE\_SHORT configuration, compile it with 1 proc, and test it for a SHORT test: 5days